

# Safety Data Sheet

according to UK REACH Regulation

## REMAXX ANTI-GLISS-LUBE

Revision date: 28.09.2022

Product code: 00156-0215

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

REMAXX ANTI-GLISS-LUBE

##### Art.-No.

593 0072, 593 0073

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Lubricant

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Company name: REMA TIP TOP AG  
Street: Gruber Strasse 65  
Place: D-85586 Poing  
Telephone: +49 (0) 8121 / 707 - 100  
Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

##### Supplier

Company name: REMA TIP TOP AUTOMOTIVE UK LTD  
Street: Westland Square, LEEDS  
Place: West Yorkshire, LS11 5XS  
Telephone: +44 (0)113 2770044  
e-mail: info@tip-top.co.uk  
Internet: www.rema-tiptop.co.uk

#### 1.4. Emergency telephone number:

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)  
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GB CLP Regulation

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### GB CLP Regulation

##### Hazard components for labelling

Colophonium

Signal word: Warning

##### Pictograms:



##### Hazard statements

H317 May cause an allergic skin reaction.

##### Precautionary statements

P261 Avoid breathing vapour.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

# Safety Data Sheet

according to UK REACH Regulation

## REMAXX ANTI-GLISS-LUBE

Revision date: 28.09.2022

Product code: 00156-0215

Page 2 of 9

P363 Wash contaminated clothing before reuse.

### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

In very fine distribution, e.g. on plaster wool or rock wool, autoxidation to spontaneous combustion is possible.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Linseed oil based preparation

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
8050-09-7	Colophony			< 10 %
	232-475-7	650-015-00-7	01-2119480418-32	
	Skin Sens. 1; H317			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.  
If you feel unwell, seek medical advice.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.  
In the event of symptoms refer for medical treatment.

#### After contact with skin

Wash off with soap and plenty of water.  
Consult a doctor if skin irritation persists.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.  
If eye irritation persists, consult a specialist.

#### After ingestion

Allow the affected person to vomit themselves, if necessary.  
Induce vomiting only upon the advice of a physician.  
Summon a doctor immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## SECTION 5: Firefighting measures



## Safety Data Sheet

according to UK REACH Regulation

### REMAXX ANTI-GLISS-LUBE

Revision date: 28.09.2022

Product code: 00156-0215

Page 3 of 9

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Foam, carbon dioxide (CO<sub>2</sub>), dry chemical, water-spray.

##### **Unsuitable extinguishing media**

Full water jet

#### **5.2. Special hazards arising from the substance or mixture**

Burning produces irritant fumes.

Fire may produce:

carbon monoxide and carbon dioxide

Acrolein

#### **5.3. Advice for firefighters**

Use breathing apparatus with independent air supply.

Protective suit.

#### **Additional information**

Cool containers at risk with water spray jet.

Collect contaminated firefighting water separately, must not be discharged into the drains.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Ensure adequate ventilation.

Keep away noninvolved persons.

##### **For non-emergency personnel**

Do not breathe vapours.

Avoid contact with skin, eyes and clothing.

##### **For emergency responders**

In case of vapour formation use respirator.

Use personal protective clothing.

#### **6.2. Environmental precautions**

Do not discharge into the drains/surface waters/ground water.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

##### **For cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

Clean contaminated surface thoroughly.

##### **Other information**

In very fine distribution, e.g. on plaster wool or rock wool, autoxidation to spontaneous combustion is possible.

#### **6.4. Reference to other sections**

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Keep container tightly closed.

Avoid contact with the skin and the eyes.

# Safety Data Sheet

according to UK REACH Regulation

## REMAXX ANTI-GLISS-LUBE

Revision date: 28.09.2022

Product code: 00156-0215

Page 4 of 9

Use only in thoroughly ventilated areas.

### Advice on protection against fire and explosion

No special protective measures against fire required.

In very fine distribution, e.g. on plaster wool or rock wool, autoxidation to spontaneous combustion is possible.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

#### Hints on joint storage

Incompatible with:

Peroxides, strong oxidizing agents, strong acids and strong bases

#### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

Lubricant

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
8050-09-7	Rosin-based solder flux fume	-	0.05		TWA (8 h)	WEL
		-	0.15		STEL (15 min)	WEL

#### Additional advice on limit values

This product does not contain any substances for which a Workplace Exposure Limit has been set in concentrations above the limits.

### 8.2. Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

#### Protective and hygiene measures

Avoid contact with eyes and skin.

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing.

#### Eye/face protection

Tightly fitting goggles (EN 166).

#### Hand protection

Protective gloves resistant to chemicals made off butyl, minimum coat thickness 0.7 mm, permeation resistance approx. 480 minutes, i.e. protective glove <Butoject 898> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

#### Skin protection

Long sleeved clothing (DIN EN ISO 6530)

#### Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

# Safety Data Sheet

according to UK REACH Regulation

## REMAXX ANTI-GLISS-LUBE

Revision date: 28.09.2022

Product code: 00156-0215

Page 5 of 9

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	Brownish	
Odour:	Characteristic	
pH-Value:		n.d.

#### Changes in the physical state

Melting point/freezing point:		n.d.
Boiling point or initial boiling point and boiling range:		n.d.
Sublimation point:		n.a.
Softening point:		n.d.
Flash point:	> 160 °C	

#### Flammability

Solid/liquid:	n.a.
Gas:	n.a.

#### Explosive properties

The product is not explosive.

Lower explosion limits:	n.a.
Upper explosion limits:	n.a.
Auto-ignition temperature:	> 300 °C

#### Self-ignition temperature

Solid:	n.a.
Gas:	n.a.

Decomposition temperature:	n.d.
----------------------------	------

#### Oxidizing properties

Not oxidising.

Vapour pressure:	n.d.
------------------	------

Density (at 20 °C):	0,93 g/cm <sup>3</sup>
---------------------	------------------------

Bulk density:	n.a.
---------------	------

Water solubility: (at 20 °C)	Immiscible
---------------------------------	------------

#### Solubility in other solvents

n.d.

Partition coefficient n-octanol/water:	n.d.
--	------

Viscosity / dynamic: (at 20 °C)	approx. 100 mPa·s
------------------------------------	-------------------

Viscosity / kinematic:	n.d.
------------------------	------

Flow time:	n.d.
------------	------

Relative vapour density:	n.d.
--------------------------	------

Evaporation rate:	n.d.
-------------------	------

Solvent separation test:	0 %
--------------------------	-----

Solvent content:	0 %
------------------	-----

#### 9.2. Other information



## Safety Data Sheet

according to UK REACH Regulation

### REMAXX ANTI-GLISS-LUBE

Revision date: 28.09.2022

Product code: 00156-0215

Page 6 of 9

No data available

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

No decomposition if stored and applied as directed.

##### 10.2. Chemical stability

Stable under normal conditions.

##### 10.3. Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents

Reactions with peroxides.

##### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

In very fine distribution, e.g. on plaster wool or rock wool, autoxidation to spontaneous combustion is possible.

##### 10.5. Incompatible materials

Strong oxidizing agents, Peroxides, Strong acids and strong bases

##### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

Fire may produce:

Acrolein, Carbon monoxide and carbon dioxide

#### SECTION 11: Toxicological information

##### 11.1. Information on hazard classes as defined in GB CLP Regulation

###### **Acute toxicity**

Based on available data, the classification criteria are not met.

No toxicological data available.

###### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

###### **Sensitising effects**

May cause an allergic skin reaction. (Colophony)

###### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

###### **STOT-single exposure**

Based on available data, the classification criteria are not met.

###### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

###### **Aspiration hazard**

Based on available data, the classification criteria are not met.

###### **Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

##### 11.2. Information on other hazards

###### **Endocrine disrupting properties**

No data available

###### **Other information**

May cause eye/skin irritation.

Attention. Beware, danger of aspiration!

#### SECTION 12: Ecological information

##### 12.1. Toxicity



## Safety Data Sheet

according to UK REACH Regulation

### REMAXX ANTI-GLISS-LUBE

Revision date: 28.09.2022

Product code: 00156-0215

Page 7 of 9

Ecological data are not available.

#### **12.2. Persistence and degradability**

No data available

#### **12.3. Bioaccumulative potential**

No data available

#### **12.4. Mobility in soil**

No data available

#### **12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

Low hazard to waters.

#### **Further information**

Do not flush into surface water or sanitary sewer system.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

##### **List of Wastes Code - residues/unused products**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

##### **Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

##### **14.1. UN number:**

No dangerous good in sense of this transport regulation.

##### **14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

##### **14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

##### **14.4. Packing group:**

No dangerous good in sense of this transport regulation.

#### **Inland waterways transport (ADN)**

##### **14.1. UN number:**

No dangerous good in sense of this transport regulation.

##### **14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

##### **14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

##### **14.4. Packing group:**

No dangerous good in sense of this transport regulation.

#### **Marine transport (IMDG)**

##### **14.1. UN number:**

No dangerous good in sense of this transport regulation.



## Safety Data Sheet

according to UK REACH Regulation

### REMAXX ANTI-GLISS-LUBE

Revision date: 28.09.2022

Product code: 00156-0215

Page 8 of 9

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): 0 %

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 2,6,7,8,9,10,11,12,13,15.

Changes in section: -

#### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk





# Safety Data Sheet

according to UK REACH Regulation

## REMAXX ANTI-GLISS-LUBE

Revision date: 28.09.2022

Product code: 00156-0215

Page 9 of 9

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

#### Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.

#### Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

*'The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.'*